



PLYMOUTH ELECTRICAL TAPES

PRODUCT CATALOG







Nortelco AS tel +47 2257 6100 www.nortelco.no

Plymouth youR tapE!



TABLE OF CONTENTS

6-9
10
11
12-14
15-19
20-22
25
26
27
28
31-32
33
34
35-36
37-38
41-42
43
44

Packaging Legend:

PC = Plastic Can IB = Individual Bag

C = Cello Wrapped B = Box

T5 = Tower 5 rolls

LIMITED WARRANTY:

Plymouth warrants that each of its products will substantially conform to that product's written specifications exclusively contained in its Plymouth product data sheet for a period of one (1) year from the date of shipment, funless provided otherwise in product's data sheet). Plymouth makes or gives no warranty to the distributor, its customers, or the product's end user regarding the product's merchantability and/or suitability for its intended use or purpose, and buyer shall assume all risks associated therewith. Provided that the product is proved to be defective within the terms described above, and provided buyer shall have first compiled with all return policies of Plymouth, PLYMOUTH'S SOLE OBLIGATION AND BUYER'S EXCLUSIVE REMEDY UNDER THIS PRODUCT WARRANTY SHALL BE THROUGH THE DISTRIBUTOR, TO REPLACE SUCH QUANTITY OF THE PRODUCT AS IS PROVED TO BE DEFECTIVE WITHIN THE TIME PERIOD SPECIFIED ABOVE. EXCEPT AS EXPRESSLY SET FORTH HERBIN, PLYMOUTH MAKES OR GIVES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. In no event shall Plymouth be liable for collateral, consequential, indirect or incidental damages arising out of, or connected in any way with, the supply of products.

RETURN GOODS POLICY:

Return of goods for any reason must be authorized by Plymouth's Distributor through Plymouth's Customer Service Department, Insulating Products Division, Plymouth Bubber Europa SA, Porriño, Spain. No return will be accepted unless accompanied by a Return Goods Authorization (RGA) Form, obtained through Distributor. All Warranty returns must be made in accordance with the terms of Plymouth's written Limited Warranty.

PLYMOUTH RUBBER EUROPA, S.A. WORKS WITH REGISTERED TRADEMARKS, AND HAS THE EXCLUSIVE RIGHT TO USE THEM.

CATALOG: PRE-06-2017/ EUROPE-02

Alphabetical Product Listings

Product	Page	M	40.15
3 Bi-Seal Rubber Tape		Mastics	
10 Plyseal Insulating Mastic		Mine Power Feeder Splice Kit	
15 Plybraid	19,37	Mine Power Feeder Term Kit	34
17 Plyshield Shielding Tape	18,38	Mine Terminal Wrap	34
20 Plysil Silicone Tape	20		
44 Neoprene Tape	21	N	
53 Plyanc And and Fireproofing Tap	e20,27	N-10 N-12 N-15	
61/61A Varnished Cambric Tape	21	N-17 N-20 N-40	
77 Plyglas Glass Cloth Tape		Neoprene Tape	
100 ASTM Friction Tape		Neoprene Vulcanizable Jacketing	
122 Rubber Tape		Nylon Reinforced Neoprene	35
125 Electrical Filler Tape		P	
150 ASTM Rubber Tape		· ·	17
170 Brown Friction Tape		PIB Rubber Tape	
4000 Plyseal-V		Pipewrap Tape	
5000 Bus Seal		Plyarc Tape	20,27
		Plybraid	
A		Plycom T-818	
Arc and Fireproofing Tape	22	PlyCorr	
		Plyduct 48 Duct Tape	
В		Plyfill	
Bi-Seal Rubber Tape		Plyglas	
Bus Seal Mastics	13	PlyJack	
6		Plyprep Cable Preperation Kit	
C	00.07	Plysafe Rubber Tape	
Cable Preparation Kit		Plyseal Insulating Mastic12	
Cohesive Rubber Tape		Plysil Silicone Tape	
Color Coding Tape		Plystrap	
Copper Braid	19	PlyTel	
Corrosion Protection Tape		Plytuff	
CR Tape	20	Plywrap 11 Pipewrap Tape	
D		Premium 111 Electrical Tape	
Double Rubber Tape	26	Premium 37 Color Coding Tape	
DR Tape		Premium 85 Electrical Tape	
Duct Tape		PTCS Trailing Cable Splice Kit	33
		В	
E			
E-Vinyl	25	Rubber Mastic Tape (RM)	14 32
		riabbor ividosio rapo (riivi)	1 1,02
		S	
F		Shielding Tape18	3,19,38
Fireproofing Tape		Splice/Term. Kits22,33	
Friction Tape		Splice Vice	
Fine Line 258/268/278	42	SRT Stress Relief Tape	
G		Т	
	25	Terminal Wrap	22,34
Glass Cloth Tape		Trailing Cable Splice Kit	33
GLF Jacket Repair Wrap		V	
GLF Trailing Cable Splice Kits		-	04
OLI TI alling Gable Splice Kits		Varnished Cloth Tape	Z I
Н		Vinyl Mastic Tape (VM)	
HD2 Electrical Tape	9	Vulcanizable Barrier Compound	
Hypalon Jacketing Compound		Vulcanizable Insulating Compound	30
		W	
J		••	
Jacket Repair Tape	31,33	W951 Plysafe	15
		W962 Rubber Tape	
L	15.00	W963 Plysafe Rubber Tape	
L969 High Voltage Rubber Tape		Waterseal Mastic	
Linerless HV	11,32		

Low Voltage 11,22

WORLDWIDE COMPANY



HEADQUARTER & FACTORIES: VIGO, SPAIN

CUSTOMER SERVICE OFFICES: VIGO, SPAIN

BOSTON, MA - USA

SALES OFFICES: VIGO, SPAIN

BOSTON, MA - USA SAO PAULO, BRAZIL



&UTILITY PRODUCTS

RUBBER TAPES · MASTICS VINYL TAPES · FRICTION TAPES WATER SEAL · SPECIAL PURPOSE PRODUCTS SPLICE & TERMINATION KITS



N-10

This economical tape (0,13 mm) is available in several colors, it is highly conformable with a good adhesion level. N10 is flame retardant and used for general insulation purposes and color coding. This is a highly conformable tape with very good adhesion. Meets the directives 2000/53/EC and RoHS 2011/65/EU. No Lead, Cadmium, Mercury, Chromium (VI), PBB or PBDE. Meets EN 60454-3-1

N-12

This insulating tape (0,15 mm) is available in several colors. It is highly conformable with a good adhesion level. Is flame retardant and suitable for all kind of mechanical and electrical applications. Can be used for primary insulations of splices up to 600 V. It is a easily conformable tape with very good adherence. Meets the requirements RoHS 2011/65/EU and 2000/53/ EC directives. No Lead, Cadmium, Mercury, Chromium (VI), PBB or PBDE. Meets EN 60454-3-1

N-15

This black tape (0,18 mm) has a high quality product with superior mechanical resistance. Is suitable for reparation of outer jackets of power cables and other applications where higher abrasion resistance is required. Is a easily conformable tape with very good adherence. Meets the requirements RoHS 2011/65/ EU and 2000/53/EC directives. No Lead, Cadmium, Mercury, Chromium (VI), PBB or PBDE.

Meets EN 60454-3-1

ASK FOR COLOURS

VINYL GENERAL PURPOUSE

N-SERIES

A full range of the highest quality tapes for insulation, protection, maintenance, color-coding and other applications.

Plymouth electrical tapes are based on a vinyl film and are characterized by excellent performance and very long durability. A balanced combination of high quality rubber-adhesive systems on special vinyl film avoid compatibility issues. All PVC tapes meet RoHS and do not contain Phthalates.



PLYMOUTH N-10

Dimensions	Packaging Weight	
0,6"x.005"x 33' 15mm x0,13mm x10m	162 / case C	11 lbs 5 Kg
3/4"x.005"x33' 19mm x0,13mm x10n	n 125 / case CT5	10 lbs 4,5 Kg
3/4"x.005"x65' 19mm x0,13mm x20n	100 / case CT5	14,5 lbs 6,5 Kg

Cat&Color 15 mm x 10 m

5493 Black / 5495 Blue / 5492 Red / 5494 White / 5496 Yellow / 5490 Green / 5497 Grey / 5498 Brown / 5491 Yel/Gre

Cat&Color 19 mm x 10 m

5219 Black / 5220 Blue / 5221 Red / 5222 White / 5223 Yellow / 5224 Green / 5225 Grey / 5226 Brown / 5227 Yel/Gre

Cat&Color 19 mm x 20 m

5228 Black / 5229 Blue / 5230 Red / 5231 White / 5232 Yellow / 5233 Green / 5234 Grey / 5235 Brown / 5236 Yel/Gre

PLYMOUTH N-12

Dimensions		Packaging	Weight		
0,6"x.006"x 33'	15mm x0,15mm x10m	150 / ca	ase C	11 lbs 5 Kg	
3/4"x.006"x33'	19mm x0,15mm x10m	125 / ca	ase CT5	11 lbs 5 Kg	
3/4"x.006"x65'	19mm x0,15mm x20m	80 / cas	e CT5	12 lbs 5,5 Kg	

Cat&Color 15 mm x 10 m

6050 Black / 6051 Blue / 6052 Red / 6181 White / 6053 Yellow / 6054 Green / 6182 Grey / 6055 Brown / 6184 Yel/Gre

19 mm x 10 m Cat&Color

5435 Black / 5767 Blue / 5768 Red / 5663 White / 5664 Yellow / 5665 Green / 5666 Grey / 5769 Brown / 5770 Yel/Gre

Cat&Color 19 mm x 20 m

5392 Black / 5407 Blue / 5408 Red / 5409 White / 5689 Yellow / 5690 Green / 5421 Grey / 5422 Brown / 5423 Yel/Gre

PLYMOUTH N-15

Cat.	Color	Dimensions	Packaging	Weight
5438	black	3/4"x.007"x65' 19mm x0,18mm x20m	75 / case C	15,5 lbs 7 Kg



N-17

This superior adhesive tape from 0,20mm with a high elasticity is excellent protection of buried, submerged and air pipes. Its weatherproof properties gives it a highly mechanical, dielectric and against detergents, oils, acids, alkalis, fungi and bacteria.

N-20

This tape is one of the few 0,23mm is available in black, yellow and white color. His very good adhesion makes it the perfect Pipe wrapping tape buried, submerged and air pipes. This product does not contain lead, mercury, cadmium. hexavalent chromium. PBB or PBDE. It meets requirements of Directives 2000/53/EC and RoHS 2011/65/EU.

N-40

This 0,39mm black PVC tape is equipped with a special high level of adhesive and redesigned for all types of mechanical and electrical applications. Additional thickness allows for quicker build-ups and added abrasion protection and high puncture resistance. It meets requirements of Directives 2000/53/EC and RoHS 2011/65/EU. This product does not contain lead, mercury, cadmium, hexavalent chromium, PBB or PBDE.

BEST PIPE WRAPPING TAPE EVER **PRODUCED**



VINYL **GENERAL PURPOUSE**

PLYMOUTH N-17

Cat.	Color	Dimensions	Packaging Weigh	t
5199	black	3/4"x.008"x65' 19mm x0,20mm x20m	60 / case C 13	lbs 6 Kg

PLYMOUTH N-20

Cat.	Color	Dimensions	Packaging W	eight
5130	black	2"x.009"x98' 50mm x0,23mm x30m	24 / case	26 lbs 12 Kg

PLYMOUTH N-40

Cat.	Color	Dimensions	Packaging	Weight
5548	black	2"x.015"x98' 50mm x0,39mm x30m	8 / case C	14,5 lbs 6,6 Kg



ALSO AVAILABLE IN SELECTED COLORS

PREMIUM 85 CW

An 8.5 mil (0,21mm) all weather, professional grade, pressure sensitive vinyl tape that provides heavier thickness for added mechanical and electrical protection. Cold and weather resistant. Flame retardant. Can be used as primary insulation for splices at not more than 600 Volts. Excellent protective jacket over all types of splices. UL 510, ASTM-D-3005, MIL-I-24391C. Lead-free.

PREMIUM 37 Color Coding

A 7 mil (0,18mm) all weather, professional grade, pressure sensitive vinyl tape that is available in nine colors for color coding and insulating. Cold and weather resistant. Flame Retardant. Use Premium 37 for quick identification of electrical circuits, containers, and conduit systems, as well as primary insulation for splices at not more than 600 volts. UL 510, ASTM-D-3005, HH-I-595C. Lead-free.

VINYL ELECTRICAL **TAPES**





PREMIUM 85 CW

Cat.	Color	Dimensions	Packaging	Weight
4240	black	3/4" x .0085" x 66' 19mm x 0,21mm x 20m	100/case PC	28 lbs 13 kg
4241	black	2" x .0085" x 20' 50mm x0, 21mm x 6m	108/case PC	23 lbs 10 kg
4274	black	2" x .0085" x 108' 50mm x0, 21mm x 33m	40/case PC	35 lbs 16 kg
4252	black	1 1/2" x .0085" x 66' 38mm x 0,21mm x 20m	100/case C	38 lbs 17 kg
4273	black	1 1/2" x .0085" x 108' 38mm x 0,21mm x 33m	50/case C	38 lbs 17 kg
4311	black	2" x .0085" x 66' 50mm x 0,21mm x 20m	40/case C	28 lbs 13 kg
4243	black	3/4" x .0085" x 66' 19mm x 0,21mm x 20m	100/case C	23 lbs 10 kg

PREMIUM 37 Color Coding (Plastic Can)

Dimensions				Packagin	ng	Weigh	nt		
3/4" x .007"	x 66' 19mm	x 0,18mm x 2		20/case	PC	5 lbs	2 kg		
Cat.&Color									
3702 green	3703 yellow	3704 red	3705 blue	3706 white	3707 brown	3708 orange	3709 grey	3711	violet

PREMIUM 37 Color Coding (Cello+Label)

Dimensions					Packagin	ng	Weight		
3/4" x .007" x 66' 19mm x 0,18mm x 20m 100 case C								21 lbs 10 kg	
Cat.&Color									
8756 green	8754 yellow	8751 red	8753 blue	8752 white	8757 brown	8759 orange	8755 grey	8758 violet	



PREMIUM 111

A 7 mil (0,18mm) all weather, professional grade, pressure sensitive vinyl tape which gives excellent performance over a wide range of temperatures. Cold and weather resistant. Can be used as primary insulation for splices at not more than 600 Volts. Use as protective outer jacket over splices and all low temperature applications. UL 510. ASTM-D-3005. HH-I-595C. Lead-free.

PLYWRAP® 11 (10 mil) Vinyl Pipewrap

A corrosion protection, pressure sensitive vinyl tape giving complete environmental, mechanical and electrical protection for all types of pipewrapping applications. UV, bacteria and fungus resistant, Plywrap 11 tape can be used for both overhead and direct burial applications. Fed. Spec. L-T-001512. Lead-free.

HD 2 (Heavy Duty Electrical Tape)

A 10 mil (0,25mm) heavy duty, general purpose, pressure sensitive vinyl tape for all types of mechanical and electrical applications. Allows for quicker build-ups and added abrasion protection. Is flame retardant and can be used as primary insulation for splices at not more than 600 volts., ASTM-D-2301. MIL-I-7798A. Lead-free.







VINYL ELECTRICAL TAPES

PREMIUM 111

Cat.	Color	Dimensions		Packaging	Weight
4452	black	3/4" x .007" x 66' ′	19mm x 0,18mm x 20m	100/case C	24 lbs 11 kg
4453	black	3/4" x .007" x 66' '	19mm x 0,18mm x 20m	100/case PC	24 lbs 11 kg

HD 2

Cat.	Color	Dimensions		Packaging	Weight
8724	black	2" x .010" x 108'	50mm x 0,25mm x 33m	40/case C	46 lbs 21 kg

PLYWRAP® 11 (10 mil)

Cat.	Color	Dimensions		Packaging	Weight
4610	black	1" x .010" x 100'	25mm x 0,25mm x 30m	48/case C	26 lbs 12 kg
4611	black	2" x .010" x 100'	50mm x 0,25mm x 30m	24/case C	26 lbs 12 kg
4601	black-Printed	2" x .010" x 100'	50mm x 0,25mm x 30m	24/case C	26 lbs 12 kg

Consult customer service for other available sizes & colors.





100 ASTM Friction Tape

A high quality cotton fabric coated on both sides with a black rubber adhesive compound which provides good adhesion to all types of surfaces. A 15 mil (0,38mm) general purpose tape that provides excellent protection against abrasion. ASTM-D-4514, Comm. Spec. 6747, HHT 101A.

170 BROWN Friction Tape

A high quality cotton fabric coated on both sides with a brown rubber adhesive compound which provides good adhesion to all types of surfaces. Distinctive natural rubber color, excellent tack. Provides excellent protection against abrasion for cable and splices.

PLYDUCT® 48 - Premium Grade **Cloth Duct Tape**

A premium duct tape that provides excellent adhesion to all types of surfaces. Laminated cloth construction provides superior mechanical strength and will conform to irregular surfaces. Use for sealing joints on all types of duct work. Excellent for heavy duty applications.

FRICTION &DUCT **TAPES**







100 ASTM Friction Tape

Cat.	Color	Dimensions	Packaging	Weight
1002	black	3/4" x .015" x 60' 19mm x 0,38mm x 18m	100/case C	29 lbs 13 kg
1039	black	2" x .015" x 60' 50mm x 0,38mm x 18m	40/case C	31 lbs 15 kg
1047	black	1 1/2" x .015" x 82.5' 38mm x 0,38mm x 25m	50/case C	36 lbs 19 kg

170 Brown Friction Tape

Cat.	Color	Dimensions		Packaging	Weight
1057	brown	2" x .015" x 70'	50mm x 0,38mm x 21m	40/case C	40 lbs 18 kg

PLYDUCT® 48 - Premium Grade Cloth Duct Tape

Cat.	Color	Dimensions		Packaging	Weight
3150	grey	2" x 60 yds.	50mm x 55m	24/case C	39 lbs 17 kg



122 Rubber Tape **Splicing Compound**

A 30 mil (0,76mm) UL listed, self-amalgamating, low voltage rubber tape which can be used as primary insulation for splices at not more than 600 volts when used in conjunction with a friction or vinyl jacketing tape. UL 510.

125 Electrical Filler Tape

A 125 mil (3,2mm) selfamalgamating, low voltage insulating compound designed for quick, void-free insulation build-up. 125 can be easily molded by hand to conform to irregular shapes and can be used as primary insulation for splices through 5kV in conjunction with other insulating tapes. 125 is ideal for covering split bolts, padding bus bar edges and connections, and provides an excellent moisture seal. MIL-I-17695A.

150 ASTM Rubber Tape

A 30 mil (0,76 mm) selfamalgamating, low voltage rubber tape that can be used for insulating cable splices through 2kV, in conjunction with a jacketing tape. Compatible with low and high density polyethylene and polypropylene PIC cables plus all rubber and PVC cable elements. 150 ASTM conforms easily and self-amalgamates into a homogenous, void-free mass to provide an effective moisture seal. ASTM-D-4388, Communications Industry Specification 6746.







LOW VOLTAGE RUBBER

122 Rubber Tape - Splicing Compound

Cat.	Color	Dimensions	Packaging	Weight
2002	black	3/4" x .030" x 22' 19mm x 0,76mm x 6,7m	100/case C	36 lbs 18 kg
2141	black	3/4" x .030" x 22' 19mm x 0,76mm x 6,7m	60/case EC	22 lbs 10 kg

125 Electrical Filler Tape

Cat.	Color	Dimensions	Packaging	Weight
2074	black	1 1/2" x .125" x 4,9' 38mm x 3,2mm x 1,5m	30/case B	17 lbs 8 kg

150 ASTM Rubber Tape

Cat.	Color	Dimensions		Packaging	Weight
2006	grey	3/4" x .030" x 30' 19m	m x 0,76mm x 9,1m	100/case C	52 lbs 24 kg

PI YFII I

Plyfill is a self-amalgamating low voltage insulating mastic, designed for quick void-free insulation build-up. Plyfill can be easily molded by hand to confirm to irregular shapes and can be used as primary insulation for splices through 5 kV in conjunction with other insulating tapes. Plyfill provides an excellent moisture seal.

10 PLYSEAL® Insulating Mastic

A self-amalgamating, insulating mastic for insulating and sealing all types of overhead and direct buried electrical connections up to 600 Volts. 10 Plyseal has superior adhesion to metals, cable insulations, and jackets with no adverse effect on polymeric conducting shields. For watersealing duct work, cable ends, and all types of splices.

WATERSEAL MASTIC

A self-amalgamating, mechanical grade mastic used for sealing and water-proofing. Excellent adhesion to metals, cable insulations, and jackets. Soft, malleable nature makes Waterseal ideal for molding and conforming to irregular shapes. Use in conjunction with Plymouth's premium tapes for optimum performance.









PLYFILL Tape

Cat.	Color	Dimensions		Packaging	Weight
2644	black	11/2" x .0125" x 5'	38mm x 3,2mm x1,5m	12roll/case B	9 lbs 4 kg

10 PLYSEAL® Insulating Mastic

Cat.	Form	Dimensions	Packa	ging Weight	\
2626	roll	3 3/4" x .125" x 10'	95mm x 3,2mm x 3m	10/case B	31 lbs 14 kg
2627	pad	3 3/4" x .125" x 3 3/4"	95mm x 3,2mm x 95mm	10 pads/EC, 300/box	31 lbs 14 kg
2632	roll	1 1/2" x .125" x 10'	38mm x3, 2mm x 3m	8 case IB	11 lbs 5 kg

WATERSEAL MASTIC

Cat.	Form	Dimensions		Packaging	Weight
2856	roll	2 1/2" x .125" x 2'	64mm x 3,2mm x 0,61m	40 roll/case IB	17 lbs 8 kg



4000 PLYSFAL®-V Vinyl Reinforced Insulating Mastic

Used for encapsulating and sealing sub-surface and overhead cases and auxiliary sleeves, ducts, and cable ends. Excellent for sheath and conduit repairs. Impervious to ozone, fresh water, salt water, and soil chemicals. Vinyl film backing provides mechanical strength and abrasion resistance. Plyseal-V is preferred for cold weather applications.

5000 BUS-SEAL **EPR-Backed** Insulating Mastic

A laminate of W963 Plysafe EPR high voltage tape and 10 Plyseal insulating mastic in a roll form. A one-pass application of this laminate provides high dielectric strength, instant adhesion and excellent conformability. For insulating and water-proofing high voltage bus connectors and conductors. Corrosion protection for junction boxes, bus-duct and cable tray joints.

INSULATING **PROTECTION** SEALING CONFIDENCE





4000 PLYSEAL®-V Vinyl Reinforced Insulating Mastic

Cat.	Form	Dimensions	Packaging	Weight
2620	roll	4" x .133" x 10' 100mm x 3,4mm x 3m	10/case B	34 lbs 15 kg
2622	pad	4" x .133" x 6 1/2" 100mm x 3,4mm x 165mm	10 pads/EC, 100/box	17 lbs 8 kg

5000 BUS-SEAL EPR-Backed Insulating Mastic

Cat.	Form	Dimensions	Packaging	Weight	
8371	roll	4" x .155" x 10' 102mm x 3,9mm x 3m	10/case B	41 lbs '	18.4 kg

Rubber Mastic (RM) Tapes

A self-bonding mastic tape consisting of an ethylene propylene rubber (EPR) backing, bonded to a tacky, temperature stable, electrical grade mastic. Use for insulating and moisture sealing splices and terminations on solid dielectric cable. Can be wrapped, stretched or molded around irregular shapes for insulation build-up, water-sealing, and surface protection. Provides excellent electrical properties, superior adhesion, moisture and chemical resistance. For primary insulation up to 2kV.

Vinyl Mastic (VM) Tapes

A self-fusing mastic compound with an all-weather, premium vinyl backing that can be used for insulating and water-sealing electrical connections through 600 volts. Small roll sizes can be stretched and molded around irregular shapes, even in tight locations. Provides excellent electrical properties, superior adhesion, and moisture and chemical resistance. Vinyl backing adds UV protection. Use for insulating overhead and direct buried low voltage connections, motor lead connections, and cable and conduit repair.

INSU LATING MASTICS





RUBBER MASTIC (RM) Tapes

Cat.	Form	Dimensions		Packaging	Weight
2619	roll	1 1/2" x .065" x 10'	38mm x 1,65mm x 3m	30/case IB	19 lbs 9 kg
2625	roll	2" x .065" x 10'	50mm x 1,65mm x 3m	30/case B	30 lbs 14 kg
2719	roll	1" x .065" x 10'	25mm x 1,65mm x 3m	30/box	16 lbs 7 kg

VINYL MASTIC (VM) Tapes

Cat.	Form	Dimensions		Packaging	Weight
2617	roll	3/4" x 0.025" x 19.7'	19mm x 0,635mm x 6m	80/case IB	30 lbs 14 kg
2618	roll	1 1/2" x 0.025" x 19.7'	38mm x 0,635mm x 6m	40/case IB	30 lbs 14 kg
2609	roll	4" x .050" x 10'	100mm x 1,3mm x 3m	10/case IB	13 lbs 6 kg



L969 PLYVOLT™ Linerless High Voltage Insulating Tape

A 30 mil (0,76mm) EPR, self-bonding high voltage tape for insulating and jacketing splices through 69kV. L969 Plyvolt is linerless, and permits quicker application than a tape with liner. Yields a void-free build-up. Excellent corona, ozone, and chemical resistance. L969 Plyvolt can also be used for building stress-cones on power cable through 35kV. ASTM-D-4388, HH-I-553C.

W951 PLYSAFE® **EPR High Voltage Tape**

A 20 mil (0,51mm) ethylene propylene rubber, selfamalgamating high voltage tape for insulating and jacketing splices though 69kV. W951 Plysafe amalgamates quickly, yielding a void-free, electrically stable buildup and is ideal for water-proofing.







L969 PLYVOLT™ Linerless High Voltage Insulating Tape

Cat.	Dimensions		Packaging	Weight	
2211	3/4" x .030" x 30'	19mm x 0,76mm x 9,1m	60/case B	26 lbs	12 kg
2212	1" x .030" x 30'	25mm x 0,76mm x 9,1m	40/case B	24 lbs	11 kg
2213	1 1/2" x .030" x 30'	38mm x 0,76mm x 9,1m	30/case B	26 lbs	12 kg
2214	2" x .030" x 30'	51mm x 0,76mm x 9,1m	40/case C	37 lbs	17 kg
8112	3/4" x .030" x 30'	19mm x 0,76mm x 9,1m	60/case C	26 lbs	12 kg

W951 PLYSAFE® EPR High Voltage Tape

Cat.	Dimensions		Packaging	Weight	
2139	3/4" x .020" x 30'	19mm x 0,51mm x 9,1m	100/case B	30 lbs	14 kg
2135	1" x .020" x 16'	25mm x 0,51mm x 5m	88/case C	20 lbs	9 kg

W963 PLYSAFE® High Voltage Insulating Tape with Liner

A 30 mil (0,76mm) EPR, selfamalgamating high voltage tape for insulating and jacketing splices through 69kV. W963 Plysafe amalgamates quickly, yielding a void-free, electrically stable buildup and is ideal for water-proofing. ASTM-D-4388, HH-I-553C/Grade A, MIL-I-3825B.

3 BI-SEAL® High Voltage Insulating Tape with Liner

A polyethylene and ethylene propylene rubber based tape possessing superior electrical, chemical, mechanical and thermal properties. Fuses quickly, yielding a void-free, electrically stable build-up. For insulating and jacketing of splices on power cable from 600 volts through 69kV and for building stress cones and jacketing of terminations on power cable from 600 volts through 35kV. Available in 20 mil (0,51mm) or 30 mil (0,76mm) thickness. ASTM-D-4388, HH-I-553C.







W963 PLYSAFE® High Voltage Insulating Tape with Liner

Cat.	Dimensions	Packaging	Weight
2117	3/4" x .030" x 30' 19mm x 0,76mm x 9,1m	60/case B	24 lbs 11 kg
2132	1" x .030" x 30' 25mm x 0,76mm x 9,1m	40/case B	22 lbs 10 kg
2134	1 1/2" x .030" x 30' 38mm x 0,76mm x 9,1m	30/case B	24 lbs 11 kg
2145	2" x .030" x 30' 50mm x 0,76mm x 9,1m	40/case C	44 lbs 20 kg
8109	3/4" x .030" x 30' 19mm x 0,76mm x 9,1m	100/case C	40 lbs 18 kg

3 BI-SEAL® High Voltage Insulating Tape with Liner

Cat.	Dimensions		Packaging	Weight	1
8051	3/4" x .020" x 30'	19mm x 0,51mm x 9,1m	100/case C	30 lbs	14 kg
8052	1" x .020" x 30'	25mm x 0,51mm x 9,1m	80/case C	33 lbs	15 kg
8053	1 1/2" x . <mark>020"</mark> x 30'	38mm x 0,51mm x 9,1m	50/case C	30 lbs	14 kg
8054	2" x .020" x 30'	50mm x 0,51mm x 9,1m	40/case C	33 lbs	15 kg
8065	3/4" x .030" x 30'	19mm x 0,76mm x 9,1m	100/case C	40 lbs	18 kg
8066	1" x .030" x 30'	25mm x 0,76mm x 9,1m	80/case C	43 lbs	20 kg
8067	1 1/2" x .030" x 30'	38mm x 0,76mm x 9,1m	50/case C	40 lbs	18 kg
8068	2" x .030" x 30'	50mm x 0,76mm x 9,1m	40/case C	43 lbs	20 kg



W962 High Voltage Insulating Tape With Liner

20 mil (0,51mm) EPR based high voltage tape with superior electrical, chemical, mechanical, and thermal properties. For insulating and jacketing of splices on power cable from 600 volts through 138kV and for building stress cones and jacketing of terminations on power cable from 600 volts through 35kV. W962 is self-amalgamating. ASTM-D-4388.

PIB Medium Voltage Tape

A self-amalgamating, polyisobutylenebased medium voltage tape that maintains a tight insulation build-up for void-free electrical stability and permanent resistance to moisture penetration. For insulating and jacketing of splices on power cables from 600 volts through 46kV. Plymouth's PIB has excellent stretch capabilities that allow fast taping speeds and is compatible with all extruded dielectrical cable insulations.







W962 High Voltage Insulating Tape With Liner

Cat.	Dimensions	Packaging	Weight
8080	3/4" x .020" x 30' 19mm x 0,51mm x 9m	60/case B	17 lbs 8 kg
8081	1" x .020" x 30' 25mm x 0,51mm x 9m	40/case B	17 lbs 8 kg
8089	1 1/2" x .020" x 30' 38mm x 0,51mm x 9m	50/case B	26 lbs 12 kg

PIB Medium Voltage Tape

Cat.	Dimensions		Packaging	Weight
2038	3/4" x .020 x 33'	19mm x 0,51mm x 10m	100/case C	33 lbs 15 kg
2039	1" x .020 x 33'	25mm x 0,51mm x 10m	80/case C	33 lbs 15 kg
2019	3/4" x .020 x 33'	19mm x 0,51mm x 10m	60/case B	30 lbs 14 kg
2040	1" x .030 x 30'	25mm x 0,76mm x 9,1m	80/case C	48 lbs 22 kg

17 PLYSHIELD® EPR Shielding Tape

A 30 mil (0,76mm) EPR selfamalgamating, conducting tape for shielding high voltage splices and terminations. Use for rebuilding strand shield and insulation shields on high voltage splices and for shielding all types of connections. ASTM-D-4388.

SRT Stress Relief Tape

A SRT is a stress relieving, selfamalgamating rubber compound in roll form. It achieves stress relief in reshaping the electrical field by establishing a controlled voltage gradient across the dielectric interface. It provides an efficient method of achieving stress relief for extruded dielectric cable terminations from 5 kV through 35 kV. The necessity of stocking a variety if stress cone sizes is eliminated.







17 PLYSHIELD® EPR Shielding Tape

Cat.	Dimensions	Packaging	Weight
2104	3/4" x .030" x 15' 19mm x 0,76mm x 4,6m	50/case B	13 lbs 6 kg
8212	3/4" x .030" x 15' 19mm x 0,76mm x 4,6m	100/case C	23 lbs 10 kg
2156	11/2" x .030" x 15' 38mm x 0,76mm x 4,6m	50/case C	23 lbs 10 kg
2159	11/2" x .030" x 30' 38mm x 0,76mm x 9,1m	50/case C	40 lbs 18 kg

SRT Stress Relief Tape

Cat.	Dimensions	Packaging	Weight
8438	3/4" x .0040" x 20' 19mm x 1,02mm x 6,1m	25/case C	13 lbs 6 kg



15 PLYBRAID Tinned Copper **Shielding Tape**

A tinned copper mesh-knit shielding with exceptional conformability for replacing metallic shield in shielded cable repair. The two-inch width allows for quicker application and a larger overlap for increased safety in flexible cables.

PLYSTRAP® Tinned Copper Ground Braid

A woven tinned copper braid used for grounding high voltage splices and terminations. Also used for shield continuation on splices. Plystrap has current carrying capacity of #9 AWG solid copper.







15 PLYBRAID Tinned Copper Shielding Tape

Cat.	Dimensions	Packaging	Weight
2230	2" x 10' 50mm x 3m	40/case	8 lbs 4 kg
5415	1" x 15' 25mm x 4,6m	50/case B	7 lbs 3 kg
5416	1" x 100' 25mm x 30m	16/case B	9 lbs 4 kg

PLYSTRAP® Tinned Copper Ground Braid

Cat.	Dimensions	Packaging	Weight
2711	3/8" x 100' 9mm x 30m	1/case B	4 lbs 2 kg

20 PLYSIL® Silicone Rubber Tape

A 20 mil (0,51mm) triangular cross-section, self-amalgamating, silicone rubber tape used for jacketing high voltage terminations on solid dielectric cable through 69kV. 20 Plysil is track and erosion resistant and can be used as primary insulation for high temperature (180°C) applications. ASTM-D-2148, MIL-I-46852A.

77 PLYGLAS® Pressure Sensitive Glass Cloth Tape

A 7 mil (0,18mm) woven glass fabric tape with a thermosetting rubber based, pressure sensitive adhesive used for insulating and protecting high temperature (130°C) connections, such as motor leads and transformer windings. 77 Plyglas has high tensile strength for splice reinforcement and provides excellent tear and abrasion resistance. Use 77 Plyglas to hold down 53 Plyarc arc- and fire-proofing tape. Comm. Spec. 7611, ASTM-D-2754, MIL-I-15126F/GFT.

53 PLYARC® Arc and Fireproofing Tape

A 30 mil (0,76mm) elastomeric tape that provides excellent flame and arc protection for all types of cables. When exposed to flame, 53 Plyarc will generate a thermally insulating residue for cable protection. Use on cable conduit where added fire protection is required. Excellent flexibility and conformability for easy application. Available in grey.

SPECIAL PURPOSE PRODUCTS







20 PLYSIL® Silicone Rubber Tape

Cat.	Dimensions		Packaging	Weight
3455	1" x .020" x 30'	25mm x 0,51mm x 9,1m	50/case C	18 lbs 8 kg

77 PLYGLAS® Pressure Sensitive Glass Cloth Tape

Cat.	Dimensions		Packaging	Weight	
3451	1/2" x .007" x 66'	13mm x 0,18mm x 20m	50/case B	9 lbs	4 kg
3456	3/4" x .007" x 66'	19mm x 0,18mm x 20m	50/case B	12 lbs	5 kg
3459	1" x .007" x 108'	25mm x 0,18mm x 33m	20/case B	37 lbs <i>'</i>	17 kg

53 PLYARC® Arc and Fireproofing Tape

Cat.	Color	Dimensions		Packaging	Weight	
3817	Grey	1 1/2" x .030" x 20'	38mm x 0,76mm x 6,1m	20/case C	13 lbs	6 kg
3819	Grey	3" x .030" x 20'	76mm x 0,76mm x 6,1m	10/case C	13 lbs	6 kg
2630	Grey	14" x .030" x 14"	357mm x 0,76mm x 357mm	300/case B	110 lbs	50 kg
3816	Grey	1" x .030" x 20'	25,4mm x 0,76mm x 6,1m	30/case C	13 lbs	6 kg



61 and 61A Varnished Dacron-Glass Tape

61 and 61A Varnished Dacron-Glass Tapes are a fine weave of Dacron and fiber glass threads, impregnated with a fully cured polyester coating which provides excellent electrical and mechanical protection.

The tapes are intended for use to 155°C and have good flexibility to allow tight taping of irregular shapes. Available without adhesive [61-7mils[18mm]] and with adhesive [61A -8mils [20mm]).

44 NEOPRENE Jacketing Tape

A 30 mil (0,76mm) self-amalgamating neoprene tape specially formulated for permanent protection of cables exposed to oil, grease, and other hydrocarbons.

44 Neoprene is chemical, weather, and flame resistant. Use for corrosion protection on lead splicing sleeves.





SPECIAL PURPOSE PRODUCTS

61 and 61A Varnished Dacron Glass Tape

Cat.	Dimensions		Packaging	Weight
1101 (without adhesive)	3/4" x .007" x 60'	19mm x 0,18mm x 18m	40/case B	9 lbs 4 kg
1121 (with adhesive)	3/4" x .008" x 60'	19mm x 0,20mm x 18,2m	40/case B	9 lbs 4 kg

44 NEOPRENE Jacketing Tape

Cat.	Dimensions		Packaging	Weight	
8261	3/4" x .030" x 30'	19mm x 0,76mm x 9,1m	100/case C	54 lbs	24 kg
8263	1 1/2" x .030" x 30'	38mm x 0,76mm x 9,1m	50/case C	54 lbs	24 kg
8264	2" x .030" x 30'	51mm x 0,76mm x 9,1m	40/case C	57 lbs	26 kg

PLYPREP™ Cable Preparation Kit

Plyprep is an effective and environmentally friendly cleaning kit for the proper preparation of both high and low voltage cables prior to splicing or terminating. Very effective for removing grease, oil, tar, and other contaminants from cables. Kits have everything necessary to prepare cables for a splice or termination. Each kit contains three sealed wipe sets and one 120 grit non-conducting abrasive cloth.

TERMINAL WRAP

Use for terminating threecore shielded cables for motor leads. Each kit contains three rolls of a specially formulated Stress-Wrap 1" (25mm) wide, coreless rolls. Stress-Wrap is a laminate of EPR High Voltage Insulating Tape and a special voltage gradient stress relieving compound. US Patent #4,187,389.

SPLICE WRAP One-Step Splice Kit

For insulating and waterproofing direct burial or overhead splices and terminations through 2000V. For cable jacket repair and restoration, and ground seal for shielded power cable. Suitable for straight and branch joints. Easy 1-step application. Connectors not included.

SPECIAL PURPOSE PRODUCTS







Plymouth Tape offers multiple solutions to arc and fireproofing, including 53 Plyarc® arc and fireproofing tape.

PLYPREP™ Cable Preparation Kit

		. aonaging	**************************************
2684	1 kit/bag	20/case	4 lbs 2 kg

TERMINAL WRAP

Cat.	Range	Packaging	Weight
9012	2-25kV/.55"95" dia. 14,1-24,1mm dia.	20/case B	8 lbs 4 kg

LOW VOLTAGE SLICE WRAP

Cat.	Range	Packaging	Weight
8910	up to 500 KCMIL	20/case B	6 lbs 3 kg

THE COMPANY

PLYMOUTH RUBBER is specialized in manufacturing PVC adhesive tape and a broad range of rubber and specialty tapes for all requirements.


Plymouth Rubber tapes are aimed at an extensive spectrum of industries, from automotive to electrical, telecommunication and mining.

Plymouth Rubber, resulting from the merger of three historical brands, BISHOP, Plymouth and Núñez, has brought together the technologies developed by these key players in technological innovation in the tape business since the early twentieth century.



TELECOM PRODUCTS

VINYL TAPES · RUBBER TAPES SPECIAL ITEMS · INSULATING MASTICS





PLYWRAP® 11 Vinyl Corrosion Protection Tape (E-Vinyl)

A strong physical barrier which is moisture-proof, inert and non-conducting. Used for protecting splice cases, load coil cases, conduit, and other areas. Provides atmospheric, galvanic, fungal, and bacterial protection. "E" vinyl Specification 8035.



PLYCOM® T-818 (G-Vinyl)

Designed specifically to meet the exacting requirements of the communications industry. T-818 is fully conformable at 0°F (-18°C) and pulls smoothly from roll at maximum splicing speeds without breaking, yet retains its strength and adhesion at elevated temperatures. Once wrapped T-818 stays down from -40°F to +176°F (-40°C to 80°C). MIL-I-24391C. "G" Vinyl Specification 8726.

PLYTEL



Plytel Sealing Tape is our newest laminate bonding rubber sheet for mechanical and corrosion protection.
The laminate is easy to apply and remains flexible at low temperatures. Plytel has a strong adhesion to steel and to all types of cable jackets yielding a positive moisture seal.





Plymouth's G-Vinyl Flat 5-Pack The Industry Standard over 40 Years.



- Easy to handle
- Protects the

PLYCOM® T-818 (G-Vinyl)

Cat.	Dimensions	Packaging	Weight
4290	3/4" x .0085" x 66' 19mm x 0,21mm x 20m	100/case C	26 lbs 11 kg
4292	1 1/2" x .0085" x 44' 38mm x 0,21mm x 13m	100/case C	35 lbs 16 kg

PLYWRAP® 11 Vinyl Corrosion Protection Tapes (E-Vinyl)

Cat.	Dimensions		Packaging	Weight
4611	2" x .010" x 100'	50mm x 0,25mm x 30m	24/case C	26 lbs 12 kg



PLYTEL

Cat.	Dimensions		Packaging	Weight
2659	6" x .078" x 33'	150mm x 2mm x 10m	TBD	TBD



COHESIVE RUBBER TAPE

Consists of one soft, uncured layer bonded to a cured, abrasion-resistant layer. Unique separator allows controlled removal at the user's discretion. An air-tight, water-proof, gas-tight seal is formed when the uncured layer is bonded to itself. The industry standard for temporary splice coverings on communication and control cables. Maintains gas pressure in pressurized cable. Communications Industry Specification 7144.

DOUBLE RUBBER TAPE

Non-adhesive, self-bonding communications tape used for critical sealing and rejacketing. One layer of uncured compound permanently fused to an abrasion-resistant layer of cured rubber. Easy-tear separator. Controlled unwind. Full or half-lapped, a strong bond develops between both plies to maintain gas pressure in pressurized cables. Communications Industry DR Specifications TL-192 and 6863.

150 ASTM RUBBER TAPE

A 30-mil (0,76 mm) selfamalgamating, low voltage rubber tape that can be used for insulating cable splices through 2kV, in conjunction with a jacketing tape. Compatible with low and high density polyethylene and polypropylene PIC cables plus all rubber and PVC cable elements. 150 ASTM conforms easily and self-amalgamates into a homogenous, void-free mass to provide an effective moisture seal. ASTM-D-4388, Communications Industry Specification 6746.









COHESIVE RUBBER TAPE (CR)


Cat.	Dimensions	Packaging	Weight
2065	28" x .050" x 20' 711mm x 1,3mm x 6,1m	1/case IB	16 lbs 7 kg
2110	36" x .050" x 20' 914mm x 1,3mm x 6,1m	1/case IB	21 lbs 10 kg

DOUBLE RUBBER TAPE (DR)

Cat.	Dimensions	Packaging	Weight
2011	3/4" x .045" x 15' 19mm x 1,1mm x 4,6m	100/case C	40 lbs 18 kg
2013	2" x .045" x 15' 51mm x 1,1mm x 4,6m	40/case C	40 lbs 18 kg

150 ASTM RUBBER TAPE

Cat.	Dimensions		Packaging	Weight
2006	3/4" x .030" x 30'	19mm x 0,76mm x 9,1m	100/case C	52 lbs 24 kg



100 ASTM Friction Tape

Made from first-quality sheeting impregnated with a special rubber compound. Superior strength, resistance to abrasion and excellent adhesion on smooth, rough or irregular surfaces. ASTM friction tape is an economical, general purpose tape used in a variety of applications such as cover tape over splicing and filler compounds, anchoring tape or splice overwrap, and more. Will not dry out or unravel. Communications Industry Specification 6747.

77 PLYGLAS® Pressure Sensitive Glass Cloth Tape

A dense weave fiberglas fabric, impregnated and coated with a pressure sensitive thermosetting adhesive. Plyglas is heat and flame resistant, noncorrosive and will provide continuous 266°F (130°C) service. The high tensile strength of 77 Plyglas assures the user of long lasting, dependable, mechanical reinforcement and thermal protection. 77 Plyglas can be used to hold arc- and fire-proof tape in place on cables or whenever high temperature protection and mechanical strength is needed. Communication Industry Specification 7611, MILI-15126F/GFT.

53 PLYARC® Arc and Fireproofing Tape

A 30 mil (0,76mm) elastomeric tape that provides excellent flame and arc protection for all types of cables. When exposed to flame, 53 Plyarc will generate a thermally insulating residue for cable protection. Use on cable conduit where added fire protection is required. Excellent flexibility and conformability for easy application.









100 ASTM FRICTION TAPE

Cat.	Color	Dimension	ns .	Packaging	Weight	
1015	black	2" x 36'	51mm x 11m	60/case C	32 lbs	15 kg

77 PLYGLAS® Pressure Sensitive Glass Cloth Tape

Cat.	Color	Dimensions	Packaging	Weight
3456	white	3/4" x .007" x 66' 19mm x 0,18mm x 20m	50/case B	12 lbs 5 kg
3459	white	1" x .007" x 108' 25mm x 0.18mm x 33m	20/case C	37 lbs 17 ka

53 PLYARC® Arc and Fireproofing Tape

Cat.	Color	Dimensions	Packaging	Weight	
3817	grey	1 1/2" x .030" x 20' 38mm x 0,76mm x 6,1m	20/case C	13 lbs	6 kg
3819	grey	3" x .030" x 20' 76mm x 0,76mm x 6,1m	10/case C	13 lbs	6 kg



4000 PLYSEAL®-V Vinyl Mastic (VM)

Used for encapsulating and sealing sub-surface and overhead cases and auxiliary sleeves, ducts, and cable ends. Excellent for sheath and conduit repairs. Impervious to ozone, fresh water, salt water, and soil chemicals. Vinyl film backing provides mechanical strength and abrasion resistance. Plyseal-V is preferred for cold weather applications; it maintains flexibility and a tight seal even when subjected to extreme flexing. Holds fast and permanently to metal and all types of rubber and synthetic cable elements.

10 PLYSEAL® Insulating Mastic

A self-amalgamating, insulating mastic for insulating and sealing all types of overhead and direct buried electrical connections up to 600 volts. 10 Plyseal has superior adhesion to metals, cable insulations and jackets with no adverse effect on polymeric conducting shields. For watersealing duct work, cable ends, and all types of splices.

WATERSEAL MASTIC

A self-amalgamating, mechanical grade mastic used for sealing and water-proofing. Excellent adhesion to metals, cable insulations, and jackets. Soft, malleable nature makes Waterseal ideal for molding and conforming to irregular shapes. Use in conjunction with Plymouth's premium tapes for optimum performance.







11 lbs 5 kg



4000 PLYSEAL®-V Vinyl Mastic (VM)

11/2" x .125" x10'

Cat.	Dimensions		Packaging	Weight
2620	4" x .133" x 10'	100mm x 3,4mm x 3m	10 rolls/case B	34 lbs 15 kg
2622	4" x .133" x 6 1/2"	100mm x 3,4mm x 165mm	10 pads/EC, 100/box	17 lbs 8 kg
10 PLYSE	AL® Insulating Mastic			
Cat.	Dimensions		Packaging	Weight
2626	3 3/4" x .125" x 10'	95mm x 3,2mm x 3m	10 rolls/case B	31 lbs 14 kg
2627	3 3/4" x .125" x 3 3/4"	95mm x 3,2mm x 95mm	10 pads/EC, 300/box	31 lbs 14 kg

8 / case IB

WATERSEAL MASTIC

2632

Cat.	Form	Dimensions	\.	Packaging	Weight
2856	roll	2 1/2" x .125" x 2'	64mm x 3,2mm x 0,51m	40 rolls / case IB	17 lbs 8 kg

38mm x 3,2mm x 3m

KNOW HOW

Plymouth's ongoing commitment to technological innovation, combined with an extensive sales network in five continents, has brought the company closer to the practical needs of global consumers.

Plymouth Rubber has the most extensive catalog of market solutions and the experience and flexibility necessary to develop special products tailored to the needs of each client.



MINING PRODUCTS

JACKETING&INSULATING TAPES
TRAILING CABLE · SPLICE KITS
HIGH VOLTAGE SPLICE
& TERMINATION KITS

CABLE REPAIR TAPE · SPECIAL ITEMS





PLYTUFF® - F/R PVC Jacketing Tape

PVC tape specifically formulated for flame resistance and abrasion resistance. Use for repairing nicks and tears in all mining cables. Use this tape for primary insulation through 600V. Ideally suited for securing premolded and shrinkable sleeve ends to the cable jacket. Title 30-CFR 18.64, P-153-MSHA Acceptance.

GLF® Jacket Repair Wrap

Use as a jacket repair or Vconditions tear or puncture the original cable jacket or conduit. Extremely abrasion-resistant, with excellent moisture exclusion properties. Approved under 30 CFR 7.404, approval number P-7K-SK-153082-1-MSHA.

GLF2® Jacket Repair Wrap

Is our newest laminate of a specially formulated Hypalon backing and 2 flame-retardant mastic layers possessing the superior abrasion and moisture resistance required for all types of cable jacket repair. The laminate is easy to apply and remains flexible at low temperatures. GLF 2 will adhere to all types of cable jackets yielding a positive moisture seal. GLF 2 with approval number P-7K-SK-153082-1-MSHA.







PLYTUFF® - F/R PVC Jacketing Tapes

Cat.	Dimensions	Packaging	Weight
3880	3/4" x .007" x 66' 19mm x 0,18mm x 20m	100/case C	23 lbs 10 kg
3881	1 1/2" x .007" x 66' 38mm x 0,18mm x 20m	100/case C	43 lbs 20 kg
3897	1 1/2" x .007" x 44' 38mm x ,018mm x 13m	100/case C	31 lbs 14 kg

GLF® Jacket Repair Wrap

Cat.	Dimensions		Packaging	Weight	
2563	2" x .075" x 6'	51mm x 1,3mm x 1,8m	30/case C	16 lbs	7 kg
2564	2" x .075" x 8.5'	51mm x 1,3mm x 2,6m	20/case C	16 lbs	6 kg



GLF2® Jacket Repair Wrap (With extra layer of adhesive)

Cat.	Dimensions	Packaging	Weight
2501	2" x 7' 51mm x 2,15 m	30 / Case C	19 lbs 9 kg
2502	2" x 9,5' 51mm x 2,90 m	30 / Case C	24 lbs 11 kg



L969 Fire-Resistant Insulating Tape (Linerless Rubber)

Use to insulate around the connector area on splices from 600V-69kV. Also used to fill in irregularities and to smooth out the splice profile before applying jacketing tape.

Rubber Mastic (RM) Tapes

A self-bonding mastic tape consisting of an ethylene propylene rubber (EPR) backing, bonded to a tacky, temperature stable, electrical grade mastic. Use for insulating and moisture sealing splices and terminations on solid dielectric cable. Can be wrapped, stretched or molded around irregular shapes for insulation build-up, water-sealing, and surface protection. Provides excellent electrical properties, superior adhesion, moisture and chemical resistance.





JACKETING &INSULATING TAPES

L969 Fire Resistant Insulating Tape (Linerless Rubber)

Cat.	Dimensions	Packaging	Weight
2221	1 1/2" x .030" x 30' 38mm x 0,76mm x 9,1m	50/case C	31 lbs 14 kg

RUBBER MASTIC (RM) Tapes

Cat.	Form	Dimensions	0	Packaging	Weight
2625	roll	2" x .065" x 10'	51mm x 1,65mm x 3m	30/case B	30 lbs 14 kg
2619	roll	1 1/2" x .065" x	10' 38mm x 1,65mm x 3m	30/case IB	19 lbs 9 kg



GLF® & GLF2® Trailing **Cable Splices**

Use to construct a full or partial splice in single or multi-conductor portable mining cable. Four kits cover the entire range of splicing needs from 600 volt to 5kV, up to 500 KCM (connectors not included). All GLF splice kits meet the technical requirements set forth in 30-CFR § 7.404. Approval number P-7K-SK-153082-1-MSHA.

SINCE 1896 WORLD'S **MINING TAPES**







GLF® Trailing Cable Splices

Cat.	Ranges Packaging	Weight	
Unshielded			
2561	4c-4/0-AWG, up to 600 V	10/case IB	10 lbs 5 kg
2562	3c-#2-AWG, up to 600 V	10/case IB	12 lbs 5.5 kg
Shielded			
2569	3/C 500 KCM max. up to 995 V max	10/case IB	25 lbs 12 kg
2570	3/C 500 KCM max. up to 15kV max	1/case IB	8 lbs 4 kg



GLF2® Trailing Cable Splices

Cat.	Ranges Packaging	Weight	
Unshielded			
2504	4c-# 6 AWG to 4/0 AWG up to 600 V 10/case	16 Lbs	7 kg
2503	4c-# 6 AWG to # 2 AWG up to 600 V 10/case	16 Lbs	7 kg
Shielded			
2505	4c-# 6 AWG to 500 KCM up to 995 V 10/case	31 Lbs	14 kg
2506	4c-# 6 AWG to 500 KCM up to 15,000 V	1/case	7 Lbs 3 kg



MINE POWER FEEDER Splice Kit

Use for splicing single and multi-conductor cable to 15kV found in the mine and prep plant. Kits contain all components to construct an electrically sound splice. The splice utilizes F/R Plyvolt linerless EPR insulating tape, which provides void-free build-ups, high dielectric strength, low electrical loss, and corona resistant. Emergency overload rating of 130°C. Connectors not included.

MINE POWER FEEDER Termination Kit

Use for terminating Mine Power Feeder cables through 15kV. Each kit will terminate a three core type GGC, shielded power cable common in mining operations. Also, ideally suited for motor lead terminations. Each kit contains three rolls of Stress-Wrap voltage gradient material, three ground connectors, three 24" (0,6m) ground ribbons, cleaning solvent and a fine grit cloth. Stress-Wrap is a laminate of EPR High Voltage Insulating Tape and a special voltage gradient stress-relieving compound. Terminal connector not included. *U.S.Patent #4,187,389*.

MINE TERMINAL WRAP

Use for terminating threecore shielded cables to 25 kV when installing a coupler. Each kit contains three rolls of specially formulated Stress-Wrap. Packaged on 1" (25mm) wide coreless rolls. Stress-Wrap is a laminate of EPR High Voltage InsulatingTape and a special voltage gradient stress-relieving compound. U.S. Patent #4,187,389.





MINE POWER FEEDER SPLICE KIT

Cat.	Ranges	Packaging	Weight
2567	5-15kV, #8-4/0 AWG	1/case B	8 lbs 4 kg

MINE POWER FEEDER TERMINATION KIT

Cat.	Ranges	Packaging	Weight
2568	5-25kV, #8-4/0 AWG	1/case B	12 lbs 5 kg

MINE TERMINAL WRAP

Cat.	Ranges	Packaging	Weight
9012	2-25kV/.55"95" dia. 14.1-24.1mm dia.	20/case B	8 lbs 4 ka



NEOPRENE VULCANIZABLE JACKETING COMPOUND

A vulcanizable neoprene compound that flows easily within the range of mold temperatures from 260°F - 330°F (127°C - 166°C). Bonds readily to all types of neoprene jacket compounds. Chemically bonds to the original jacket without the need of a bonding agent. Provides a waterproof covering with outstanding resistance to oil and abrasion. Quickcure system greatly reduces mold time. Title 30-CFR 18.64 P-153-MSHA Acceptance.

HYPALON VULCANIZABLE JACKETING COMPOUND

A vulcanizable hypalon compound that flows easily within the range of mold temperatures from 260°F - 330°F (127°C - 166°C). Bonds readily to neoprene, hypalon, PVC and NBR-PVC jackets. Chemically bonds to the original jacket without the need of a bonding agent. Provides a water-proof covering with outstanding resistance to ozone, oil, and abrasion. Quick-cure system greatly reduces mold time. Title 30-CFR 18.64 P-153-MSHA Acceptance.

NYLON REINFORCED NEOPRENE JACKETING COMPOUND

A laminate of vulcanizable neoprene and an open weave of high strength, fire-resistant nylon used to restore the spliced area of the cable to its original strength. Title 30-CFR 18.64 P-153-MSHA Acceptance.









NEOPRENE VULCANIZABLE JACKETING COMPOUND

Cat.	Color	Dimensions	Packaging	Weight
2153	black	2" x .080" x 10' 51mm x 2,3mm x 3m	40/case C	44 lbs 20 kg
2193	black	1 1/2" x .030" x 30' 38mm x 0,76mm x 9,1m	40/case C	41 lbs 19 kg

HYPALON VULCANIZABLE JACKETING COMPOUND

Cat.	Color	Dimensions	Packaging	Weight
2048	orange	1 1/2" x .030" x 30' 38mm x 0,76mm x 9,1m	40/case C	41 lbs 19 kg
2049	black	1 1/2" x .030" x 30' 38mm x 0,76mm x 9,1m	40/case C	41 lbs 19 kg
2050	yellow	1 1/2" x .030" x 30' 38mm x 0,76mm x 9,1m	40/case C	41 lbs 19 kg

NYLON REINFORCED NEOPRENE JACKETING COMPOUND

Cat.	Dimensions	Packaging	Weight
2246	1" x .030" x 30' 25mm x 0,76mm x 9,1m	40/case C	59 lbs 27 kg



VULCANIZABLE INSULATING COMPOUND

A rubber compound used for restoring cable insulation. It is compatable with all solid dielectric insulations. It chemically bonds without the need of a bonding agent. Insulating value for use on cables rated through 15kV.

Consult the factory for higher voltages.

VULCANIZABLE BARRIER COMPOUND

An EP rubber barrier compound which is needed to retain the symmetry of the joints during the vulcanizing process. Compatable with all insulating compounds and chemically bonds without the need of a bonding agent. Insulating value for use on cables rated through 15kV. Consult the factory for higher voltages.







VULCANIZABLE INSULATING COMPOUND

Cat.	Color	Dimensions	Packaging	Weight
2166	orange	1" x .030" x 30' 25mm x 0,76mm x 9,1m	80/case C	49 lbs 22 kg

VULCANIZABLE BARRIER COMPOUND

Cat.	Dimensions	Packaging	Weight
8066	1" x .030" x 30' 25mm x 0,76mm x 9,1m	80/case C	43 lbs 20 kg



15 PLYBRAID Tinned Copper Shielding

A tinned copper mesh-knit shielding with an exceptional conformability for replacing metallic shield in shielded cable repair. Two-inch width allows for quicker application and a larger overlap for increased safety in flexible cables.

PLYPREP™ Cable Preparation Kit

Plyprep is an effective and environmentally friendly cleaning kit for the proper preparation of both high and low voltage cables prior to splicing or terminating. Very effective for removing grease, oil, tar, and other contaminants from cables. Kits have everything necessary to prepare cables for a splice or termination. Each kit contains three sets of sealed wipes and one 120-grit, non-conducting, abrasive cloth.







15 PLYBRAID Tinned Copper Shielding

Cat.	Dimensions	Packaging	Weight
2230	2" x 10' 50 mm x 3 m	40 rolls/case	8 lbs 4 kg

PLYPREP™ Cable Preparation Kit

Cat.	Packaging	Weight
2684	1 kit/bag, 10kits/case	3 lbs 2 ka



17 PLYSHIELD® EPR Shielding Tape

A 30 mil (0,76mm) EPR selfamalgamating, conducting tape for shielding high voltage splices and terminations. Use for rebuilding strand shield and insulation shields on high voltage splices and for shielding all types of connections. ASTM-D-4388.


SPLICE VICE



Increase production while reducing violations.

- Accommodates cable sizes from 1/4" to 3 1/2" (OD)
- Cable remains in set position when cutting and tapering resulting in decreased injuries
- One person operation
- Precision cable tension for more accurate connections
- Creates more compact installation
- Made of quality aluminum for greater strength and decreased weight
- Steel adjustments for durability and longevity
- All brass bushings







17 PLYSHIELD® EPR Shielding Tape

Cat.	Dimensions	Packaging	Weight
2104	3/4" x .030" x 15' 19mm x 0,76mm x 4,6m	50/case B	13 lbs 6 kg



SPLICE VICE ASK OUR CUSTOMER SERVICE OFFICES

OUR TEAM

It requires the best professionals to provide you with the best products.

Since 1896 we have proudly invested in the best people to create and supply the tapes you use every day.

All our departments and staff daily strive towards excellence and continue to develop new products to bring the best quality solutions for your day-to-day applications.



Plymouth

INDUSTRIAL PRODUCTS

PLYJACK · PLYCORR FINE LINE 258/268/278 NEW PRODUCTS



PLYJACK



Plyjack Cable Jacket Repair is our newest laminate possessing the electrical, abrasion and moisture resistance required for all types of cable jacket repair. The laminate is easy to apply and remains flexible at low temperatures. Plyjack will adhere to all types of cable jackets yielding a positive moisture seal.

The recommended uses are

- Splicing and repairing Cable conduit.
- Direct Buried Power Cable and communication Cable.
- Durable Splice cover for direct buried splices on all types of cables.

PLYCORR



PLYCORR MASTIC is a reinforced PVC backer with a non creep mastic compound which provides an excellent seal to all gas, water and oil pipes. The wrap is applied over a wide temperature range to give a tight water tight seal with good abrasion to all type of metal fabrications and fittings. It is used for general waterproofing and sealing repair.

THIS PRODUCT **NEEDS PRIMMER**

ASK FOR IT!

INDUSTRIAL **PRODUCTS**



Dimensions



Weight

TBD

Packaging

TBD



PLYJACK

Cat.

2662



2571	60mm x 2mm x 5m	12 / case	20lbs 10kg
PLYCORR Cat.	Dimensions	Packaging	Weight
2660	1.97" x 0.065" x 49.2' 50mm x 1,65mm x 15m	TBD	TBD
2661	3.94" x 0.065" x 49.2' 100mm x 1,65mm x 15m	TBD	TBD

5.91" x 0.065" x 49.2' 150mm x 1,65mm x 15m



FINE LINE 258, 268 & 278

High temperature resistant. This tape will perform in the presence of 150°C temperatures for at least 1hour and leave a sharp, clean separation line. Excellent adherence to wide variety of surfaces. Follows contours and remains in place as long as necessary. Leaves no residue upon removal. Meets the requirements of 2000/53/EC, RoHS 2002/95/EC and 2003/11/EC Directives. Product does not contain lead, mercury, cadmium, hexavalent chromium, PBB or PBDE.

FINE LINE 268 Liner



Designed for kiss- and diecutting applications, different Fine Line products are available with liner for temporal or permanent applications.

CONSULT OUR CUSTOMER SERVICE FOR MORE DETAILS





INDUSTRIAL PRODUCTS

FINE LINE 258

Cat.	Dimensions (usable width: 43"/41" // 1.090mm/1.040mm) Pa	ackaging	Weight
6020 Dark Blue	43" x 0.006" x 108ft 1100mm x 0,15mm x 33m	Box/Palet	TBD
6018 Dark Blue	43" x 0.006" x 180ft 1100mm x 0,15mm x 55m	Box/Palet	TBD
FINE LINE 268			
Cat.	Dimensions (usable width: 43"/41" // 1.090mm/1.040mm) Pa	ackaging	Weight
6016 Osha Green	43" x 0.006" x 108ft 1100mm x 0,15mm x 33m	Box/Palet	TBD
6070 Osha Green	43" x 0.006" x 180ft 1100mm x 0,15mm x 55m	Box/Palet	TBD
6019 Osha Blue	43" x 0.006" x 108ft 1100mm x 0,15mm x 33m	Box/Palet	TBD
6015 Osha Blue	43" x 0.006" x 180ft 1100mm x 0,15mm x 55m	Box/Palet	TBD
FINE LINE 278			
Cat.	Dimensions (usable width: 43"/41" // 1.090mm/1.040mm) Pa	ackaging	Weight
6021 Orange	43" x 0.005" x 108ft 1100mm x 0,15mm x 33m	Box/Palet	TBD
6012 Orange	43" x 0.005" x 180ft 1100mm x 0,12mm x 55m	Box/Palet	TBD



TECHNICAL SPECIFICATIONS

Vinyl Plastic Electrical Tapes

Property	Prem. 111	Prem. 85	Prem. 37	HD2	Plywrap 11	Plytuff	Unit	Reference
	Value	Value	Value	Value	Value	Value		
PHYSICAL								
Thickness	0.007	0.0085	0.007	0.010	0.010	0.007	inch	ASTM-D-1000
	0,178	0,216	0,178	0,254	0,254	0,178	mm	
Tensile Strength	18	20	18	26	23	17	lb/in	ASTM-D-1000
	8,2	9,0	8.2	11,8	10,5	7,7	kg/25mm	
Elongation	240	200	200	200	200	150	%	ASTM-D-1000
Adhesion to Steel	20	20	20	18	22	22	oz/in	ASTM-D-1000
	0,21	0,21	0,21	0,19	0,23	0,23	kN/m	
Adhesion to Backing	20	20	20	18	18	22	oz/in	ASTM-D-1000
	0,21	0,21	0,21	0,19	0,19	0,23	kN/m	
Adhesion to Backing @ -7°C	50	50	50	NA	NA	NA	oz/in	ASTM-D-1000
	0,54	0,54	0,54	NA	NA	NA	kN/m	
Unwind @ -7°C	100	113	100	NA	NA	NA	oz/in	ASTM-D-1000
	11,0	12,4	11,0	NA	NA	NA	N/cm	
Flammabilty	4 max	4 max	4 max	4 max	4 max	4 max	second	ASTM-D-1000
Flame Resistance	NA	NA	NA	NA	NA	Pass	-	30-CFR 18.64
Flagging	0.10 max	0.10 max	0.10 max	0.10 max	NA	0.10 max.	inch	ASTM-D-1000
	2,50	2,50	2,50	2,50		2,50	mm	
Temperature Rating								
Maximum	80	80	80	80	NA	NA	°C	UL-510
Minimum	-10	-10	-10	-10	NA	NA	°C	UL-510
ELECTRICAL								
Dielectric Strength								
Standard	10,000	11,000	7,000	10,000	10,000	10,000	volts	ASTM-D-1000
	56,1	50,9	39,3	39,3	39,3	39,3	kV/mm	
Wet	9,000	10,000	6,300	9,000	NA	5,400	volts	ASTM-D-1000
	50,5	46,3	35,3	35,4	NA	35,3	kV/mm	

Cloth and Specialty Tapes

Property	100 Friction	Plyduct 48	61 VDG	61A VDG	77 Plyglas	44 Neoprene	20 Plysil	Unit	Reference
PHYSICAL	Value	Value	Value	Value	Value	Value	Value		
Thickness	0.015 0,381	0.010 0,254	0.007 0,18	0.008 0,20	0.007 0.178	0.030 0.762	0.020 (peak) 0.508	inch mm	ASTM-D-1000
Tensile Strength	40 18,2	24 11,0	38 17,3	38 17,3	170 77,3	450 (psi) 3,1 (MPa)	10 4,5	lb/in kg/25mm	ASTM-D-1000
Elongation Adhesion to Steel	NA NA	20 36	30 NA	30 32	5 50	450 NA	400 NA	% oz/in	ASTM-D-1000 ASTM-D-1000
Adhesion	NA	0,40	NA	0,36	0,56	NA	NA	kN/m	
Standard	12 300	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	in/min mm/min	ASTM-D-69
Oven Test	12 300	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	in/min mm/min	ASTM-D-69
ELECTRICAL									
Dielectric Strength	1,200	NA	10,000	12,000	2,500	450 (V/mil)	600 (V/mil)	volts	ASTM-D-1000

Cable Repair Tapes

Property	Neoprene	Hypalon	Reinforced	Insulating	Barrier	Unit	Reference
	Compound	Compound	Neoprene	Compound	Compound		
	Value	Value	Value	Value	Value		
PHYSICAL							
Thickness	0.030, 0.080	0.030	0.030	0.030	0.030	inch	ASTM-D-1373
	0.762, 2,3	0,762	0,762	0,762	0,762	mm	
Tensile Strength	1700	2000	2400	1,000	1,200	psi	ASTM-D-412
	11,7	13,8	16,5	6,9	8,3	MPa	
Elongation	500	500	40	400	300	%	ASTM-D-412
Tear Resistance	220	150	NA	NA	NA	lbs/in	ASTM-D-624
	38,7	26,0	NA	NA	NA	kN/m	
Hardness	70	65	NA	NA	NA	Duro	ASTM-D-2240
Abrasion Resistance	68	65	NA	NA	NA	Index	NBS
ELECTRICAL							
Dielectric Strength	450	500	NA	700	700	V/mil	ASTM-D-149
	17,5	19,5	NA	27,5	27,5	kV/mm	
Flammability	Pass	Pass	NA	NA	NA	-	30 CFR 18.64

TECHNICAL SPECIFICATIONS



High Voltage Rubber Tapes

Property	L969 Plyvolt	W963 Plysafe	3 Biseal 20	3 Biseal 30	W962 EPR	17 Plyshield	Unit	Reference
	Value	Value	Value	Value	Value	Value		
PHYSICAL								
Thickness	0.030	0.030	0.020	0.030	0.020	0.030	inch	ASTM-D-4325
	0,762	0.762	0,508	0,762	0,508	0,762	mm	ASTM-D-4325
Tensile Strength	400	350	450	450	450	225	psi	ASTM-D-4325
	2,76	2.41	3,10	3,10	3,10	1,5	MPa	
Elongation	760	750	860	860	920	500	%	ASTM-D-4325
Fusion	5/64 max	inch	ASTM-D-4325					
	2,0	2.0	2,0	2,0	2,0	2,0	mm	
Heat Resistance	130	130	130	130	130	NA	°C	ASTM-D-4325
OperatingTemperature								
Continuous	90	90	90	90	90	90	°C	ASTM-D-4388
Emergency Overload	130	130	130	130	130	130	°C	ASTM-D-4388
ELECTRICAL								
Dielectric Strength	780	750	900	900	950	NA	V/mil	ASTM-D-4325
	30,0	29,0	35,0	35,0	37,0		kV/mm	
Dielectric Constant								
24h @ 23°C	2,7	2,7	2,7	2,7	2.6	NA	-	ASTM-D-4325
168h @ 70°C	2,9	2,9	2,9	2,9	2,7	NA	-	ASTM-D-4325
Dissipation Factor								
24h @ 23°C	0.005	0.005	0.003	0.003	0.001	NA	-	ASTM-D-4325
168h @ 70°C	0.015	0.015	0.008	0.008	0.005	NA	-	ASTM-D-4325
Volume Resistivity	. =10	. =16	1.016	1.016	. = 15			
96h @ 23°C, 50% RH	10 ¹⁶	870	ohm-cm	ASTM-D-4325				
96h @ 23°C, 96% RH	10 ¹⁵	NA 1.01	ohm-cm	ASTM-D-4325				
168h @ 90°C	NA	NA	NA	NA	NA	1 x 10 ⁴	ohm-cm	ASTM-D-4325
CHEMICAL	Б	Б	В		В	NIA		40TM D 4005
Ozone Resistance	Pass	Pass	Pass	Pass	Pass	NA D	visual	ASTM-D-4325
UV Resistance	Pass	Pass	Pass	Pass	Pass	Pass	visual	ASTM-D-4325

Insulating Mastics and Low Voltage Rubber Tapes

Property	10 Plyseal	4000 Plyseal	5000 Bus-Seal	RM Tape	VM Tape	122 Rubber	150 Rubber	125 Filler	Unit	Reference
	Value	Value	Value	Value	Value	Value	Value	Value		
PHYSICAL										
Thickness	0.125	0.133	0.155	0.065	0.025	0.030	0.030	0.125	inch	ASTM-D-4325
	3,17	3,28	3,94	1,65	0,635	0,762	0,762	3,170	mm	
Tensile Strength	NA	NA	NA	NA	NA	250	250	NA	psi	ASTM-D-4325
	NA	NA	NA	NA	NA	1,72	1,72	1,38		
Elongation	NA	NA	NA	NA	NA	300	300	1000	%	ASTM-D-4325
Fusion	5/64 max	5/64 max	5/64 max	5/64 max	5/64 max	5/64 max	5/64 max	5/64 max	inch	ASTM-D-4325
	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	mm	
Heat Resistance	130°C	130°C	130°C	130°C	130°C	95°C	95°C	95°C	visual	ASTM-D-4325
OperatingTemperature										
Continuous	90	90	90	90	90	80	80	80	°C	ASTM-D-4388
Emergency Overload	130	130	130	130	130	95	95	95	°C	ASTM-D-4388
ELECTRICAL										
Dielectric Strength	500	500	500	600	500	350	350	585	V/mil	ASTM-D-4325
-	19,5	19,5	19,5	26	19,5	13,7	13,7	23,0	kV/mm	

Data in table represent average test results and are not to be used for specification purposes. The product user should make his/her own tests to determine the product's suitability for the intended use, and shall assume all risk and liability in connection therewith. For more information, see Plymouth's Limited Warranty.



CATALOG NUMBER INDEX

1002	100 ASTM Black Friction		.10	
1015	100 ASTM Black Friction		2	7
	100 ASTM Bleek Friction			
1047	100 ASTM Black Friction		. 10	U
	170 Brown Friction			
1101	61 Dacron-Glass no adhesive		.2	1
1121	61A Dacron-Glass w/adhesive		2	1
2002	122 Rubber Tape		1	i
2002	150 ASTM Rubber Tape	4.4		Ċ
	Double Rrubber (DR)			
2013	Double Rubber (DR)		.21	6
	PIB Medium Voltage			
	PIB Medium Voltage			
2030			. 1	_
2039	PIB Medium Voltage		. 1	/
2040	PIB Medium Voltage		.1	7
2048	Hypalon ORG_PB C/L		.3	5
2049	Hypalon Vulcanizeble Compound, Black		3!	5
	Hypalon Vulcanizable Compound, Yellow			
2000	ypaiori vuicariizable Corripouriu, reliow		.0	_
2065	Cohesive Rubber (CR)		.21	Ь
2074	125 Filler		.1	1
2104	17 Plyshield	18.	.3	8
	Cohesive Rubber (CR)			
	W 963 Plysafe			
	W 963 Plysafe			
2134	W 963 Plysafe		.11	6
2135	W 951 Plysafe		.1	5
2139	W 951 Plysafe		1!	5
0144	122 Rubber Tape		1	1
2145	W 963 Plysafe		.11	6
2153	Neoprene BLK		.3	5
	17PlyShield			
	Barrier Uncured			
	Neoprene BLK			
	L 969 Plyvolt			
	L 969 Plyvolt			
2213	L 969 Plyvolt		1	5
2014	L 969 Plyvolt		٠١.	F
	L 969 Plyvolt			
	15 Plybraid			
2246	Neoprene BLK-NYLON		3!	5
2501	GLF 2 Jacket Rep. W. P-153		3	1
2507	GLF 2 Jacket Rep. W. P-133		ر.	'n
	GLF-2 TCS KIT			
2504	GLF-2 TCS KIT		.3	3
	GLF-2 TCS KIT			
	GLF-2 TCS KIT			
2561	GLF TCS KIT			J
2001			.ح	ے د
5295	GLF TCS KIT		.3	3
2563	GLF Jacket Rep. W. P-153		.3	1
2564	GLF Jacket Rep. W. P-153		.3	1
	MPFS KIT			
	MPFS KIT			
2000			.ط م	4
	GLF TCS KIT			
2570	GLF TCS KIT		.3;	3
2571	PlyJack		.4	1
	Vinyl Mastic (VM)			
	Vinyl Mastic (VM)			
2618	Vinyl Mastic (VM)		. 14	4
2619	Rubber Mastic (RM)	14,	3	2
2620	4000 Plyseal-V	13,	2	8
	4000 Plyseal-V			
	Rubber Mastic (RM)			
2626	10 Plyseal Mastic	12,	2	0
2627	10 Plyseal Mastic	12,	2	8
2630	53 Plyarc/Fireproofing tape		.21	
2632	. 10 Plyseal Mastic	12.	2	8
2644	Plyfill	,	1	2
	Plytel			
2660	PlyCorr		.4	1
	PlyCorr			
	PlyCorr			
	Cable preparation kit			
	Grounding strap			
	Rubber Mastic (RM)			
	Waterseal Mastic			
	Plyduct 48			
3451	77 Plyglass		ا2.	ا
	20 Plysil			
3456	77 Plyglas	20,	2	7
	77 Plyglas			
	Premium 37			
3/03	Premium 37			8
	Premium 37			
3/08	Premium 37			8
3709	Premium 37		8	8
3711	Premium 37		8	8
3816	53 Plyarc/Fireproofing tape		2	Ó
	53 Plyarc/Fireproofing tape			
3819	53 Plyarc/Fireproofing tape	20,	5.	7
3880	Plytuff PVC Jacketing Tape, C/L		.3	1
3881	Plytuff PVC Jacketing Tape, C/L		.3	1
3897	Plytuff PVC Jacketing Tape, C/L		3	1
	Premium 85			
	Premium 85			
4243	Premium 85		8	8
	Premium 85			
	Premium 85			
	Premium 85			
4290	C.V.=		2	5
	G-Vinyl T-818			
4292	G-Vinyi 1-616			
			.2	5

4601	.PLYWRAP - 11	9
4610	.PLYWRAP - 11	9
	PLYWRAP - 11	
	.N-20	
5144	N-40	7
5199	.N-17	7
	.15 Plybraid	
	.15 Plybraid	
5429	.N-12	6
5430	.N-12	6
	.N-12	
5438	.N-15	6
5440	.N-12	6
	.N-12	
	.N-12	
5445	.N-12	6
5447	.N-12	6
	.N-12	
	.N-12	
5452	.N-12	6
5453	.N-10	6
	N-10	
5455	.N-10	6
5456	.N-10	6
	N-10	
	N-10	
	.N-12	
5484	.N-12	6
	N-12	
	.N-12	
5487	.N-12	6
	.N-12	
	.N-12	
5490	.N-10	6
5491	.N-10	6
5/100	.N-10	6
	.N-10	
5494	.N-10	6
5495	.N-10	6
	N-10	
	.N-12	
6218	.N-10	6
6219	N-10	6
	N-10	
6220	.N-12	6
6220		6
6220 6221	N-12N-12	6 6
6220 6221 6012	N-12	6 6 42
6220 6221 6012 6015	N-12	6 6 42
6220 6221 6012 6015 6016	N-12	6 42 42
6220 6221 6012 6015 6016	N-12	6 42 42
6220 6221 6012 6015 6016	N-12	6 42 42 42
6220 6221 6012 6015 6016 6018	N-12	6 42 42 42 42
6220 6221 6012 6015 6016 6018 6019 6020	N-12	6 42 42 42 42 42
6220 6221 6012 6015 6016 6018 6019 6020	N-12	6 42 42 42 42 42
6220 6221 6012 6015 6016 6018 6019 6020	N-12	6 42 42 42 42 42
6220	N-12	6 42 42 42 42 42 42
6220	N-12	6 42 42 42 42 42 42
6220	N-12	6 42 42 42 42 42 42 42 42
6220	N-12	6 42 42 42 42 42 42 42 42
6220	N-12	6424242424242424216
6220	N-12	6424242424242421616
6220	N-12	642424242424242161616
6220	N-12	6424242424242424616161616, 36
6220	N-12	
6220	N-12	
6220	N-12	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30	
6220	N-12	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30	
6220	N-12	
6220	N-12	
6220	N-12	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 268 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 4 Biseal 30 5 Biseal 30 6 Biseal 30 7 Biseal 30 8 Biseal 30 8 Biseal 30 9 Biseal 30	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal 30 9 Biseal 30	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 268 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 4 Biseal 30 5 Biseal 30 6 Biseal 30 7 Biseal 30 8 Biseal 30 8 Biseal 30 9 Biseal 30	
6220	N-12 N-12 N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 258 Fine Line 258 Fine Line 278 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal 30 9 Bi	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal 30	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal 30	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 6 Biseal 30 7 Biseal 30 8 Biseal	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 7 Biseal 30 7 Biseal 30 8 Biseal 3	
6220	N-12 N-12 N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 258 Fine Line 258 Fine Line 258 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 7 Biseal 30 7 Biseal 30 8 Biseal 30 8 Biseal 30 9 Biseal 30 9 Biseal 30 1 Biseal 30 2 Biseal 30 2 Biseal 30 2 Biseal 30 3 Bi	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal 3	
6220	N-12 N-12 N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 258 Fine Line 258 Fine Line 258 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 7 Biseal 30 7 Biseal 30 8 Biseal 30 8 Biseal 30 9 Biseal 30 9 Biseal 30 1 Biseal 30 2 Biseal 30 2 Biseal 30 2 Biseal 30 3 Bi	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 7 Biseal 30 8 Bi	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Bise	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 268 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 W 962 HV W 962 HV W 963 Plysafe L 969 Plysoft L 7 Plyshield 44 Neoprene BLK 44 Neoprene BLK 5000 Bus-Seal SRT Stress Relief HD 2 Premium 37	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Bise	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 268 Fine Line 268 Fine Line 258 Fine Line 268 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 W 962 HV W 962 HV W 963 Plysafe L 969 Plysoft L 7 Plyshield 44 Neoprene BLK 44 Neoprene BLK 5000 Bus-Seal SRT Stress Relief HD 2 Premium 37	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 288 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal 30 9 Biseal 3	
6220	N-12 N-12 Fine Line 278 Fine Line 268 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 278 Fine Line 268 3 Biseal 20 3 Biseal 20 3 Biseal 20 3 Biseal 30 3 Biseal 30 3 Biseal 30 3 Biseal 30 4 Biseal 30 5 Biseal 30 7 Biseal 30 8 Biseal	

Plymouth youR tapE!

WORLDWIDE COMPANY



HEADQUARTER & FACTORIES: VIGO, SPAIN

CUSTOMER SERVICE OFFICES: VIGO, SPAIN

BOSTON, MA - USA

SALES OFFICES: VIGO, SPAIN

BOSTON, MA - USA SAO PAULO, BRAZIL



WWW.PLYMOUTHRUBBER.COM

HEAD OFFICE AND FACTORIES: CTRA. SALCEDA, KM. 1,5 36400 PORRIÑO SPAIN (+34) 986 330 562

USA COMMERCIAL OFFICE: 960 TURNPIKE STREET, SUITE 2° CANTON, MASSACHUSETTS 781 828 0220



www.nortelco.no